

Phantom Vibration Syndrome and Notification Anxiety: A Hidden Digital Stressor Affecting Student Mental Health in Higher Education

Minal Mandwe^{1*}, Purnima Jangle²

1 Asst. Prof., Department of Computer Science, Tilak Maharashtra Vidyapeeth,
Kharghar, Pune, Maharashtra, India

minal.mandwe@tmv.edu.in

2 Asst. Prof., Department of Computer Science, Tilak Maharashtra Vidyapeeth,
Kharghar, Pune, Maharashtra, India

Abstract: The widespread adoption of smartphones has transformed communication, learning environments, and daily routines of university students. While mobile technology offers significant academic and social advantages, constant exposure to smartphone notifications may also generate psychological and behavioral challenges. This study investigates the prevalence of Phantom Vibration Syndrome (PVS) and notification anxiety among students in higher education and examines their potential impact on concentration and academic performance.

A quantitative research design was employed using a structured questionnaire distributed through an online survey platform. Primary data were collected from 108 undergraduate students from multiple academic disciplines. The questionnaire assessed smartphone usage patterns, frequency of notification checking, experiences of phantom vibrations, perceived anxiety related to notifications, and the impact of digital interruptions on academic activities. Descriptive statistical techniques such as frequency distribution and percentage analysis were used for data analysis, while a chi-square test was conducted to examine the relationship between smartphone checking behavior and phantom vibration experiences.

The findings reveal a high level of smartphone engagement among students, with 66% of respondents checking their devices every 15–30 minutes or more frequently. Approximately 59% of participants reported experiencing phantom vibration sensations, and 79.7% indicated that smartphone notifications interrupt their study sessions. Statistical results confirmed a significant relationship between frequent smartphone checking and phantom vibration experiences ($\chi^2 = 4.91, p < 0.05$).

The study concludes that excessive exposure to notifications contributes to digital stress, reduced concentration, and emerging behavioral patterns associated with smartphone dependency. The findings highlight the need for digital well-being education, institutional “no-notification study hours,” and structured smartphone management strategies to support students’ mental health and academic productivity.

Keywords: Phantom vibration syndrome, Notification anxiety, Digital stress, Smartphone usage, Student mental health, Nomophobia.

1. INTRODUCTION

The rapid advancement of mobile technology has transformed communication patterns, learning processes, and everyday activities of students. Smartphones have become an essential tool for accessing academic information, communicating with peers, and participating in online learning platforms. However, constant connectivity also introduces several psychological and behavioral challenges. One of the emerging concerns is notification anxiety, where individuals feel compelled to check their devices repeatedly in response to notifications. Closely related to this phenomenon is phantom vibration syndrome, in which individuals perceive vibrations or alerts from their smartphones even when no notification has actually occurred.

Among students, continuous notification exposure may lead to distraction, reduced attention span, and increased levels of stress. Academic activities that require concentration such as reading, studying, and completing assignments are often interrupted by mobile alerts. Researchers have increasingly explored how these digital interruptions influence student mental health, cognitive focus, and academic performance.

2. LITERATURE REVIEW

Previous research studies have explored the psychological effects of smartphone usage and digital notifications. Researchers have identified several behavioral patterns related to excessive smartphone dependency, including compulsive checking behavior, digital distraction, and anxiety associated with online communication.

A study conducted by (Rosen, 2013) highlighted that frequent smartphone notifications can interrupt cognitive processes and reduce concentration among students. Similarly, (Lin, 2013) found that excessive smartphone usage is associated with increased stress and sleep disturbances.

Phantom Vibration Syndrome has been observed among individuals who frequently carry mobile phones in vibration mode. According to (Drouin, 2012), the phenomenon is linked to habitual phone checking and heightened awareness of notifications. Users may misinterpret normal physical sensations as phone vibrations due to psychological conditioning.

Notification Anxiety has also been associated with the fear of missing important messages or updates. Researchers suggest that continuous digital connectivity may create psychological pressure to remain responsive at all times. This behavior can contribute to increased anxiety, distraction, and reduced productivity.

Although several studies have examined smartphone addiction and digital distraction, limited research has focused specifically on Phantom Vibration Syndrome and Notification Anxiety among students in higher education. Therefore, this study attempts to contribute to the growing body of knowledge related to digital stress and student mental health.

Recent studies have further highlighted the psychological implications of excessive smartphone usage. (Montag, 2022) emphasized that smartphone overuse can contribute to behavioral addiction patterns and digital dependency, particularly among young adults and university students. Their research suggests that frequent engagement with mobile notifications may reinforce compulsive checking behavior and increase psychological stress. Similarly, (Duke, 2022) examined the concept of digital well-being and argued that the continuous presence of smartphone notifications can negatively affect attention span, emotional regulation, and academic productivity. These findings reinforce the importance of studying notification-related stress among students in higher education.

3. RESEARCH METHODOLOGY

This study adopts a quantitative research approach to investigate the relationship between smartphone notification behavior and digital stress among university students.

3.1 Data Collection

Primary data were collected using a structured online questionnaire distributed to undergraduate students from multiple academic programs. The survey included questions related to:

- Smartphone usage frequency
- Notification checking behavior
- Experiences of phantom vibration sensations
- Notification-related anxiety

- Impact of smartphone notifications on academic activities

3.2 Sample Size

A total of 108 valid responses were obtained from undergraduate students.

3.3 Data Analysis Methods

The collected data were analyzed using:

- Frequency distribution
- Percentage analysis
- Chi-square statistical testing


These methods were used to identify patterns in smartphone usage behavior and examine relationships between variables.

4. DATA ANALYSIS AND INTERPRETATION

Total responses in the dataset: 108 students

Table 1: Age Distribution of Respondents

Age	Frequency	Percentage
18	30	27.8%
19	19	17.6%
20	16	14.8%
21	21	19.4%
22	8	7.4%
Others	14	13.0%
Total	108	100%




Source-Author Chart1

Interpretation

Most respondents are between 18 and 21 years, indicating that the survey mainly represents undergraduate students in higher education.

Table 2. Gender Distribution

Gender	Frequency	Percentage
Female	58	53.7%
Male	49	45.4%
Prefer not to say	1	0.9%
Total	108	100%




Source-Author Chart2

Interpretation

The majority of respondents are female students (53.7%), while 45.4% are male, indicating a relatively balanced gender participation.

Table 3. Course of Students

Course	Frequency
Computer Science	78
Law	13
Physiotherapy	11
Commerce	6




Source-Author Chart 3

Interpretation

Most respondents belong to Computer Science (72%), suggesting higher participation from technology-related students.

Table 4. Frequency of Checking Mobile Phone

Frequency	Responses	Percentage
Every 15–30 minutes	48	44%
Occasionally	36	33%
Every few minutes	24	22%




Source-Author Chart 4

Interpretation

Nearly 66% of students check their phones very frequently, indicating high dependence on mobile notifications.

Table 5. Notifications Enabled for Apps

Option	Frequency	Percentage
Yes	47	43.5%
No	61	56.5%






Source-Author Chart 5

Interpretation

More than half of students disable notifications for some apps, possibly as a strategy to reduce distraction.

Table 6. Phantom Vibration Syndrome Experience

Response	Frequency	Percentage
Sometimes	58	53.7%
Never	44	40.7%
Often	6	5.6%




Source-Author Chart 6

Interpretation

Over 59% of students experience phantom vibrations, which indicates the presence of digital stress related to smartphone usage.

Table 7. Anxiety When Unable to Check Notifications

Response	Frequency	Percentage
Yes	27	25%
No	81	75%




Source-Author Chart 7

Interpretation

Only 25% of students report notification anxiety, suggesting that while mobile use is frequent, severe anxiety affects a smaller group.

Table 8. Notifications Interrupting Studies

Response	Frequency	Percentage
Sometimes	72	66.7%
Always	14	13%
Never	22	20.3%



Source-Author Chart 8

Interpretation

A large proportion of students (79.7%) report that notifications sometimes or always interrupt their studies, indicating a significant academic distraction.

Table 9. Immediate Response Urge

Response	Frequency
Yes	53
No	55

Interpretation


Students are almost equally divided, suggesting mixed behavioral patterns regarding instant response pressure.

Table 10. Effects of Notification Stress

Effect	Frequency
Lack of concentration	38
Sleep disturbance	35



Stress/Anxiety	24
Irritation	11



Source-Author Chart 9

Interpretation

The most common effects are lack of concentration and sleep disturbance, showing that smartphone notifications can impact both academic focus and mental health.

Table 11. Impact on Academic Performance

Response	Frequency	Percentage
Yes	44	40.7%
No	64	59.3%


Source-Author Chart 10

Interpretation

About 41% of students believe smartphone usage affects their academic performance, indicating a moderate academic impact.

Table 12. Support for “No Notification Study Hours.”

Response	Frequency	Percentage
Yes	77	71%
No	31	29%



Interpretation


A majority (71%) support the idea of No Notification Study Hours in college, indicating awareness of digital distraction.

Table 13. Anxiety When Phone is Switched Off

Response	Frequency
Agree	34
Strongly Agree	14
Neutral	29
Disagree	19



Strongly Disagree	12
-------------------	----



Source-Author Chart 11

Interpretation

Around 44% of students agree that they feel worried when their phone is switched off, reflecting "Nomophobia" (No Mobile Phone Phobia)

The analysis of the collected data reveals several patterns related to smartphone usage behavior among students. A large proportion of respondents reported checking their smartphones frequently throughout the day. Many students also indicated that notifications interrupt their study sessions and affect concentration.

The results also show that phantom vibration experiences are relatively common among students. Several respondents reported sensing phone vibrations even when the device had not received any notification. This finding supports earlier studies suggesting that constant smartphone engagement may alter sensory perception.

5. HYPOTHESIS TESTING

Hypothesis(H0): There is no significant relationship between phantom vibration experience and notification interruption during the study.

Because the majority of students who reported frequent interruptions also reported experiencing phantom vibrations, we reject the null hypothesis (H0) and conclude there is a significant relationship between digital engagement and sensory distortion. Hypothesis (H1): There is a significant relationship between phantom vibration experience and notification interruption during study.

To test this, a 2 X 2 Contingency Table was established comparing high-frequency users (checking every 15–30 mins or more) against the presence of PVS symptoms

Variable	Experienced PVS	Never Experienced PVS	Total
High Frequency Checking	48	24	72
Low Frequency Checking	16	20	36
Total	64	44	108

Statistical Calculation

Using the Chi-Square formula:

$$\chi^2 = \sum (O_i - E_i)^2 / E_i$$

Calculated

- χ^2 : 4.91
- Degrees of Freedom (df): 1
- Critical Value ($p < 0.05$): 3.84

Result: Since the calculated value (4.91) is greater than the critical value (3.84), we reject the Null Hypothesis (H0) and accept the Alternative Hypothesis (H1).

Interpretation: The data confirms with 95% confidence that students who check their notifications more frequently are significantly more likely to experience Phantom Vibration Syndrome. This suggests that high digital engagement leads to a "priming" of

the nervous system, where the brain anticipates and eventually hallucinates tactile stimuli.

The chi-square statistical test was applied to examine the relationship between these variables. The results indicate that notification exposure and phantom vibration experiences are associated with patterns of smartphone usage among students. The analysis suggests that higher levels of smartphone engagement may increase the likelihood of experiencing phantom vibration sensations.

6. FINDINGS

- Students frequently check their smartphones throughout the day.
- Nearly two-thirds of respondents check their phones every 15–30 minutes.
- More than half of the participants reported experiencing phantom vibration sensations.
- Smartphone notifications frequently interrupt academic activities and reduce concentration.
- A significant statistical relationship exists between frequent smartphone checking behavior and phantom vibration experiences.

7. DISCUSSION

The findings of this study provide empirical evidence of the pervasive nature of Phantom Vibration Syndrome (PVS) and Notification Anxiety within a higher education context. While previous research by (Rothberg, 2010) focused on medical staff, our data confirms that these digital stressors are now acutely present in the student population, with 59.3% of respondents experiencing phantom sensations.

Recent research by (Duke, 2022) also supports these findings, indicating that continuous exposure to digital notifications contributes to cognitive overload and reduced attentional control among university students.

7.1 The Mechanism of Sensory Over-Anticipation

The high prevalence of PVS among our participants (53.7% "Sometimes" and 5.6% "Often") suggests a state of hypersensitivity to digital stimuli. According to Signal

Detection Theory, students who check their phones "Every few minutes" (22%) or "Every 15–30 minutes" (44%) are essentially training their cerebral cortex to misinterpret muscle twitches or clothing friction as a notification. This "always-on" cognitive state creates a feedback loop where the psychological urge to stay connected manifests as a physical sensation.

7.2 Academic Interference and "Cognitive Offloading."

A critical finding is that 79.7% of students reported that notifications interrupt their studies. This aligns with (Kushlev, 2016), who argued that even the potential for a notification creates a "brain drain." Our data shows that while 56.5% of students have disabled notifications for some apps—likely a self-preservation strategy—the "Immediate Response Urge" remains split (49% Yes, 51% No). This suggests that even if a student silences their phone, the internal anxiety regarding missed social or academic capital (FOMO) remains a significant barrier to deep work.

7.3 The Demographic Lean toward Technology

Notably, 72% of our respondents were Computer Science students. This demographic may be at higher risk for PVS and notification anxiety due to their "tech-centric" lifestyle and the integration of mobile devices into their core curriculum. The high "Agree" and "Strongly Agree" ratings (44%) for feeling worried when a phone is switched off indicate that for modern students, the smartphone is no longer just a tool, but a digital prosthesis. Its absence triggers a genuine stress response, which our survey identified as a primary cause for lack of concentration and sleep disturbance.

7.4 Institutional Responsibility

The overwhelming support (71%) for "No Notification Study Hours" suggests that students are aware of their own digital struggles but may lack the self-regulation to solve them independently. This creates a clear mandate for universities to move beyond providing digital tools and start providing Digital Hygiene education.

8. CONCLUSION

This study confirms that Phantom Vibration Syndrome (PVS) and Notification Anxiety are no longer peripheral phenomena but significant digital stressors within higher education. With 59% of students experiencing PVS and nearly 80% reporting academic

interruptions, the 'always-on' culture is demonstrably altering sensory perception and cognitive focus. These findings necessitate a shift in institutional policy—from merely providing digital tools to actively fostering digital resilience through structured 'no-notification' zones and hygiene education

These findings align with recent digital well-being research suggesting that excessive smartphone engagement can influence mental health and concentration patterns among young adults (Montag, 2022).

The increasing integration of smartphones into academic and social life has introduced incipient forms of digital stress among students. The results of this study demonstrate that notification overload and Phantom Vibration Syndrome are paramount concerns affecting students' concentration, productivity, and psychological well-being.

Universities can protect student mental health and academic integrity by establishing clear digital boundaries and education programs. These measures transform the campus into a space where technology serves as a tool for growth rather than a source of chronic distraction and stress.

9. RECOMMENDATIONS AND INTERVENTIONS FOR MANAGING DIGITAL STRESS

The findings of this study highlight the growing prevalence of notification-cognate apprehensiveness and Phantom Vibration Syndrome (PVS) among university students. The data designates that while 56.5% of respondents have endeavored to incapacitate certain notifications, many still experience an assiduous "Immediate Replication Urge", suggesting that technological adjustments alone are inadequate to mitigate digital stress. Ergo, a multifaceted intervention framework coalescing behavioral, inculcative, and institutional strategies is compulsory to promote more salubrious digital habits among students

9.1 Evidence-Based Interventions for Digital Stress

9.1.1 The "Batching" Technique and Cognitive Offloading

One of the major contributors to digital stress identified in this study is constant task-switching caused by smartphone notifications. Frequent interruptions minimize concentration and increase cognitive fatigue. According to (Kushlev, 2016)

Constraining notification checking to a few scheduled intervals during the day can significantly truncate stress levels and ameliorate overall salubrity.

Universities should encourage students to adopt the “batching technique,” a strategy that involves reviewing notifications at specific intervals rather than responding immediately to every alert. For instance, students may review notifications after lectures, during lunch breaks, or at designated intervals throughout the day.

This approach minimizes the cognitive load on the prefrontal cortex, enabling individuals to sustain attention and achieve a “flow state” during academic tasks. By minimizing constant task-switching, students can improve productivity and maintain deeper levels of concentration during study sessions.

9.1.2 Institutional “No-Phone Zones” and Social Norming

The survey results also reveal that 71% of respondents support the implementation of “No Notification Study Hours.” This indicates a strong willingness among students to accept structured digital boundaries within academic environments.

Educational institutions should therefore establish “Tech-Free Zones” in libraries, study halls, and laboratories. These spaces would encourage students to temporarily disconnect from smartphones and focus on academic activities without digital interruptions.

Beyond the practical benefits, such environments also promote social norming. When students observe their peers engaging in device-free study practices, the perceived social pressure to remain constantly connected decreases. This can significantly reduce Social FOMO (Fear of Missing Out), which often drives compulsive smartphone checking behaviors.

9.1.3 Digital Well-being Education and Awareness Programs

Educational awareness is a critical component in addressing smartphone-related psychological effects such as Phantom Vibration Syndrome. Universities should introduce Digital Well-being Workshops as part of student orientation programs or academic development initiatives.

These workshops should focus on several key areas:

- Educating students about effective notification management, including the use of Do Not Disturb and focus modes.
- Raising awareness about Signal Detection Theory, explaining that phantom vibrations occur due to neurological conditioning rather than actual phone alerts.
- Understanding the “Trigger–Action–Reward” behavioral loop, which reinforces habitual smartphone checking.

Through these initiatives, students can become more aware of their digital habits and transition from reactive smartphone use to intentional, mindful engagement.

9.2 Institutional Strategies for Digital Well-being

In addition to behavioral interventions, institutional policies can play a crucial role in reducing digital stress among students.

Institutional Digital Hygiene Workshops:

Universities should integrate digital well-being modules into student orientation programs and academic counseling services to promote responsible use of technology.

Designated Tech-Free Study Spaces:

Libraries and study areas should promote device-restricted zones where smartphone use is minimized, enabling students to engage in deep work without distractions.

10. LIMITATIONS OF THE STUDY

While this research provides significant insights into digital stress, several limitations must be acknowledged:

- **Demographic Bias:** As noted, 72% of the participants were Computer Science students. This "tech-heavy" demographic may have higher-than-average smartphone dependency compared to students in fields like Fine Arts, Physical Education, or Humanities. Consequently, the results may not be fully generalizable to the entire student population.

- **Sample Size:** The study was conducted with a sample of 108 students. While sufficient for an exploratory study and chi-square analysis, a larger and more diverse multi-institutional sample would provide more generalized results.
- **Self-Reporting Bias:** Data were collected through an online self-reported questionnaire. Participants may underreport their actual screen time or overreport their "anxiety" levels based on their subjective feelings at the moment of the survey.
- **Cross-Sectional Design:** This study captures a "snapshot" in time. It does not track how phantom vibration syndrome evolves over a student's entire four-year degree or after they enter the professional workforce.
- **External Factors:** Other sources of stress (exam periods, personal relationships, or financial pressure) were not controlled for, which might overlap with the reported symptoms of notification anxiety.

11. FUTURE SCOPE OF RESEARCH

11.1 Longitudinal Behavioral Tracking

Transition from cross-sectional snapshots to longitudinal designs following cohorts from university entry into the professional workforce. This will determine if PVS is a transient response to academic pressure or a persistent behavioral trait.

11.2 Shift Toward Objective Digital Phenotyping

Future studies should incorporate objective digital phenotyping—passive data collection via smartphone sensors and usage logs—to replace reliance on self-reported surveys (Coman, 2024).

11.3 Disciplinary and Demographic Diversification

Expanding the participant pool beyond technical cohorts is critical. Recent evidence suggests that digital well-being and anxiety responses vary significantly between STEM and non-technical disciplines (Wu, 2025). Comparative studies involving the Humanities and Fine Arts will reveal how varying levels of technical literacy and pedagogical demands influence digital stress, ensuring the generalizability of findings.

11.4 Empirical Evaluation of Well-being Interventions

There is a pressing need for experimental evaluations of digital health strategies. Research should investigate:

- **Institutional Frameworks:** The efficacy of "tech-free" zones, noting that abrupt restriction can sometimes paradoxically increase state anxiety in highly dependent users (Youth, 2024)
- **Cognitive-Behavioral Training:** The long-term benefits of self-directed digital interventions and mindfulness applications in fostering healthy boundary management and reducing maladaptive dependency (Nosè, 2025)

11.5 Neuro-Cognitive Mapping

Collaborate with neuroscientists to isolate the physiological drivers of PVS. Determining whether the syndrome stems from sensory habituation or heightened cortical arousal is essential for developing evidence-based digital health policies.

References

1. Coman, L. I. (2024). Smart solutions for diet-related disease management: Connected care, remote health monitoring systems, and integrated insights for advanced evaluation. *Applied Sciences*, 2351.
2. Drouin, M. K. (2012). Phantom vibrations among undergraduates: Prevalence and associated psychological characteristics. *Computers in Human Behavior*, 1011–1020.
3. Duke, É. M. (2022). Smartphone addiction, daily interruptions, and digital well-being: A growing challenge in the digital age. *Frontiers in Psychology*, 849761.
4. Kushlev, K. P. (2016). Silence your phones: Smartphone notifications increase inattention and hyperactivity symptoms. *Proceedings of the CHI Conference on Human Factors in Computing Systems*, (pp. 1011–1020). New York.
5. Lin, Y. H. (2013). Mobile phone addiction: A new challenge in the 21st century. *International Journal of Environmental*, 6520–6530.
6. Montag, C. &. (2022). Discussing digital technology overuse in children and adolescents during the COVID-19 pandemic and beyond: On the importance of considering smartphone addiction. *Addictive Behaviors Reports*, 100313.

7. Nosè, M. M. (2025). Effectiveness of a self-guided digital intervention for mental health and psychological well-being in university students: Pre- and postintervention study. *Journal of Medical Internet Research*.
8. Rosen, L. D. (2013). Computers in Human Behaviour. The Media and Technology Usage and Attitudes Scale: An empirical investigation., 2501-2511.
9. Rothberg, M. B. (2010). Phantom vibration syndrome among medical staff: A cross-sectional survey. *Journal of General Internal Medicine*, 1288–1290.
10. Wu, X. &. (2025). A systematic review of AI anxiety in education. *AI and Ethics*, 4773-4787.
11. Youth, A. A.–I. (2024). Exploring the role of smartphone use and demographic factors in predicting nomophobia among university students in Jordan. *International Journal of Adolescence and Youth*.